



NTN Bearing Driveshaft do Brasil



1.575 Inch | 40 Millimeter x 3.543 Inch | 90
Millimeter x 1.437 Inch | 36.5 Millimeter SKF 3308
A-Z/C3 Angular Contact Ball Bearings

Bearing No. 3308 A-Z/C3

3308 A-Z/C3 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.001
EAN	7316573932413
Product Group	B00152
Enclosure	1 Metal Shield
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 90MM Outside Diameter; 36.5MM Width; 1 Metal Shield; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



NTN Bearing Driveshaft do Brasil

	No Snap Ring; C3-Loose; Steel Cage; 30 Degree; 1 (
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	3308 A-Z/C3
Weight / LBS	2.2178
B	1.437 Inch 36.5 Millimeter
d	1.575 Inch 40 Millimeter
D	3.543 Inch 90 Millimeter
bore diameter:	40 mm
radial static load capacity:	44 kN
outside diameter:	90 mm
operating temperature range:	257 ° F
overall width:	1.4375 in
cage material:	Steel
contact angle:	30 °
maximum rpm:	7500 rpm
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C3
fillet radius:	1.5 mm
bore type:	Round
weight:	2.05 lbs
closure type:	Single Shielded
manufacturer product page:	Click here
bearing material:	Steel
manufacturer upc number:	7316573932413



NTN Bearing Driveshaft do Brasil

radial dynamic load capacity:	64 kN
----------------------------------	-------